




HONEYTECH
Controls (I) Pvt. Ltd.


HYDRAULIC PRODUCTS



HYDRAULIC CYLINDERS




TECHNICAL DATA





Model No.	BORE DIMENSION	A	B	C	D	E	F	G	H	J	K	L	I DIA	P	M
H-25-XXXX	25 mm	55	155	25	25	15	60	10	25	16	M12x1.25	1/4" BSP	45	30	M8
H-40-XXXX	40 mm	60	160	25	25	15	70	15	25	20	M16X1.5	1/4" BSP	55	49.5	M8
H-50-XXXX	50 mm	65	180	30	30	15	80	15	30	25	M20X1.5	1/4" BSP	65	56	M10
H-65-XXXX	65 mm	65	190	30	30	20	90	20	35	36	M24X2	3/8" BSP	75	65	M12X1.75
H-80-XXXX	80 mm	70	205	35	35	20	110	20	35	36	M24X2	3/8" BSP	85	84.5	M16X2
H-100-XXXX	100 mm	85	230	40	40	30	135	22	45	45	M36X2	1/2" BSP	100	105	M20X2.5
H-125-XXXX	125 mm	105	280	45	45	50	165	25	50	60	M40X2	3/4" BSP	115	126	M24X3
H-150-XXXX	150 mm	110	325	50	50	50	190	25	60	70	M48X3	3/4" BSP	125	150	M24X3
H-200-XXXX	200 mm	120	365	50	50	60	260	25	75	90	M75X3	1" BSP	165	200	M30X3

PIVOT MOUNTING






MODEL NO.	BORE DIMENSION	A	B	C	D	E	F	G	H	J	K	L	I DIA	P	N	O	S	T	M
H-40-XXXX-PM	40 mm	60	160	25	25	15	70	15	25	22	M16X1.5	1/4" BSP	60	20	15	112	18	30	20
H-50-XXXX-PM	50 mm	65	180	30	30	15	80	15	30	25	M20X1.5	1/4" BSP	65	30	20	120	22	36	25
H-65-XXXX-PM	65 mm	65	190	30	30	20	90	20	35	36	M24X2	3/8" BSP	75	30	20	130	22	36	25
H-80-XXXX-PM	80 mm	70	205	35	35	20	110	20	35	36	M24X2	3/8" BSP	85	40	25	158	28	43	30
H-100-XXXX-PM	100 mm	85	230	40	40	30	135	22	45	45	M36X2	1/2" BSP	100	50	35	228	40	62	40
H-125-XXXX-PM	125 mm	110	280	45	45	50	165	25	50	60	M40X2	3/4" BSP	115	60	45	280	50	72	50
H-150-XXXX-PM	150 mm	130	325	50	50	50	190	25	60	70	M48X3	3/4" BSP	125	65	50	306	55	85	55

FRONT/ BACK FLANGE MOUNTING






MODEL NO.	BORE DIMENSION	A	B	C	D	E	F	G	H	J	K	L	I DIA	O	N	Q	P
H-40-XXXX-FF/BF	40 mm	60	160	25	25	15	70	15	25	22	M16X1.5	1/4" BSP	60	110	11	90	50
H-50-XXXX-FF/BF	50 mm	65	180	30	30	15	80	15	30	25	M20X1.5	1/4" BSP	65	130	11	109	56
H-65-XXXX-FF/BF	65 mm	65	190	30	30	20	90	20	35	36	M24X2	3/8" BSP	75	150	13	121	65
H-80-XXXX-FF/BF	80 mm	70	205	35	35	20	110	20	35	36	M24X2	3/8" BSP	85	190	16	150	75
H-100-XXXX-FF/BF	100 mm	85	230	40	40	30	135	22	45	45	M36X2	1/2" BSP	100	210	21	164	85
H-125-XXXX-FF/BF	125 mm	110	280	45	45	50	165	25	50	60	M40X2	3/4" BSP	115	250	21	207	115
H-150-XXXX-FF/BF	150 mm	130	325	50	50	50	190	25	60	70	M48X3	3/4" BSP	125	280	26	225	140

FOOT MOUNTING



MODEL NO.	BORE DIMENSION	A	B	C	D	E	F	G	H	J	K	L	I DIA	N	O	P	R
H-40-XXXX-FM	40 mm	60	160	25	25	15	70	15	25	22	M16X1.5	1/4" BSP	60	11	90	116	15
H-50-XXXX-FM	50 mm	65	180	30	30	15	80	15	30	25	M20X1.5	1/4" BSP	65	11	109	120	20
H-65-XXXX-FM	65 mm	65	190	30	30	20	90	20	35	36	M24X2	3/8" BSP	75	11	121	130	25
H-80-XXXX-FM	80 mm	70	205	35	35	20	110	20	35	36	M24X2	3/8" BSP	85	13	150	170	25
H-100-XXXX-FM	100 mm	85	230	40	40	30	135	22	45	45	M36X2	1/2" BSP	100	22	164	210	30
H-125-XXXX-FM	125 mm	110	280	45	45	50	165	25	50	60	M40X2	3/4" BSP	115	26	207	270	40
H-150-XXXX-FM	150 mm	130	325	50	50	50	190	25	60	70	M48X3	3/4" BSP	125	26	225	280	40

CENTRE TRUNION MOUNTING



MODEL NO.	BORE DIMENSION	A	B	C	D	E	F	G	H	J	K	L	I DIA	P	M	N	S
H-40-XXXX-TM	40 mm	60	160	25	25	15	70	15	25	22	M16X1.5	1/4" BSP	60	40	30	30	40
H-50-XXXX-TM	50 mm	65	180	30	30	15	80	15	30	25	M20X1.5	1/4" BSP	65	50	35	35	50
H-65-XXXX-TM	65 mm	65	190	30	30	20	90	20	35	36	M24X2	3/8" BSP	75	50	35	35	50
H-80-XXXX-TM	80 mm	70	205	35	35	20	110	20	35	36	M24X2	3/8" BSP	85	60	45	45	60
H-100-XXXX-TM	100 mm	85	230	40	40	30	135	22	45	45	M36X2	1/2" BSP	100	60	45	45	60
H-125-XXXX-TM	125 mm	110	280	45	45	50	165	25	50	60	M40X2	3/4" BSP	115	67	45	45	67
H-150-XXXX-TM	150 mm	130	325	50	50	50	190	25	60	70	M48X3	3/4" BSP	125	85	50	50	85

Note : - Dimensions are subject to change without notice.
 - xxxx stands for stroke of cylinder in mm.

HYDRAULIC POWER PACKS



- For operation of Hydraulic Presses, Jacks & Clamps.
- For Hydrostatic Pressure testing.
- Available Working Pressure from 0 to 300 kgf/cm².
- Available Flow from 1 to 150 ltrs/min.
- Tailor made as per requirement of industry.

Our Other Products

Pneumatic Press



Hydraulic Press



Hydro Pneumatic Press (Special)



Pipe Flaring Machine



HONEYTECH Controls (I) Pvt. Ltd.

239, Gobind Udyog Bhawan, Model Town, Off. L.B.S. Marg, Mulund (W), Mumbai-400080.

TEL: +91-2221641896, 21645737, Mob.: +91-9594451155

Email: info@honeytech.in • Website: www.honeytech.in